INT. J. PROD. RES., 2000, VOL. 38, NO. 18, 4863–4879

INDEX OF AUTHORS (WITH TITLES)

PAGE

Abdalla, H. S., *see* Ahmed, A. M.
Abdel-Malek, L., and Resare, L. J.: Algorithm based decision support system for the concerted selection of equipment in machining/assembly cells 323
Abdinnour-Helm, S., and Hadley, S. W.: Tabu search based heuristics for multi-floor facility layout 365
Abdou, G., and El-Masry, M.: Three-dimensional random stacking of weakly heterogeneous palletization with demand requirements and stability measures . . . 3149
Abdul Rani, M. R., Sinclair, M. A., and Case, K.: Human mismatches and preferences for automation 4033
Agrawal, A., Minis, I., and Nagi, R.: Cycle time reduction by improved MRP-based production planning 4823
Ahmed, A. M., and Abdalla, H. S.: Beyond competition: a framework for the 21st century 3677
Aigbedo, H., *see* Zeramdini, W.
Akella, R., *see* Jang, W.
Akturk, M. S., and Turkcan, A.: Cellular manufacturing system design using a holonistic approach 2327
Alberti, M., Caini, L., Calabrese, A., and Rossi, D.: Evaluation of the costs and benefits of an environmental management system 4455
Al-Hakim, L.: Discussion: A note on 'A genetic algorithm approach for multiple criteria facility layout design' 985
Al-Hakim, L.: On solving facility layout problems using genetic algorithms 2573
Al-Khayyal, F., *see* Smith, N. R.
Almgren, H.: Pilot production and manufacturing start-up: the case of Volvo S80 . 4577
Alptekin, S. E., *see* Persentili, E.
Amprazis, J., *see* Christmansson, M.
Andersson, T., *see* Wiktorsson, M.
Ang, P. S., *see* Ngoi, B. K. A.
Ansari, A., *see* Modarress, B.
Antony, J.: Improving the manufacturing process quality and capability using experimental design: a case study 2607
Arenales, M., *see* Morabito, R.
Arzi, Y., and Herbon, A.: Machine learning based adaptive production control for a multi-cell flexible manufacturing system operating in a random environment 161
Arzi, Y., and Iaroslavitz, L.: Operating an FMC by a decision-tree-based adaptive production control system 675
Asiedu, Y., Besant, R. W., and Gu, P.: Simulation-based cost estimation under economic uncertainty using kernel estimators 2023
Azadivar, F., and Wang, J.: Facility layout optimization using simulation and genetic algorithms 4369
Azizoglu, M., and Webster, S.: Scheduling a batch processing machine with non-identical job sizes 2173

Babu, K. R., *see* Mukhopadhyay, S. K.
Baguley, P., *see* Wang, Q.
Bai, G., *see* Li, W.
Baines, R. W., *see* Xu, Z.
Bal, J., and Foster, P.: Managing the virtual team and controlling effectiveness . . 4019
Balakrishnan, J., and Cheng, C. H.: Discussion: Theory of constraints and linear programming: a re-examination 1459

Balakrishnan, J., Cheng, C. H., and Conway, D. G.: An improved pair-wise exchange heuristic for the dynamic plant layout problem 3067
Balasubramanian, S., *see* Herrmann, J. W.
Banerjee, P., *see* Hua, Z.
Barnes, D. J., *see* Li, J.-W.
Barson, R. J., *see* Foster, G. A.
Bartolomei-Suárez, S. M., and Egbelu, P. J.: Quadratic assignment problem QAP with adaptable material handling devices 855
Baykasoglu, A., and Gindy, N. N. Z.: MOCACEF 1.0: multiple objective capability based approach to form part–machine groups for cellular manufacturing applications 1133
Bazargan-Lari, M., Kaebernick, H., and Harraf, A.: Cell formation and layout designs in a cellular manufacturing environment—a case study 1689
Bedi, S., *see* Rao, N.
Ben-Arieh, D.: Cost estimation system for machined parts 4481
Bennett, M., *see* Wu, B.
Berry, W. L., *see* Hill, J. A.
Besant, R. W., *see* Asiedu, Y.
Bi, Z. M., *see* Zhang, W. J.
Bidanda, B., *see* Carnahan, B.
Blömer, F., and Günther, H.-O.: LP-based heuristics for scheduling chemical batch processes 1029
Bode, J.: Neural networks for cost estimation: simulations and pilot application . . 1231
Bohez, E., Makhanov, S. S., and Sonthipermpoon, K.: Adaptive nonlinear tool path optimization for five-axis machining 4329
Bolat, A.: An extended scheduling model for producing corrugated boxes 1579
Bonney, M., Head, M., Ratchev, S., and Moualek, I.: A manufacturing system design framework for computer aided industrial engineering 4317
Bonvik, A. M., Dallery, Y., and Gershwin, S. B.: Approximate analysis of production systems operated by a CONWIP/finite buffer hybrid control policy 2845
Borenstein, D.: Implementation of an object-oriented tool for the simulation of manufacturing systems and its application to study the effects of flexibility . . 2125
Borenstein, J.: The OmniMate: a guidewire- and beacon-free AGV for highly reconfigurable applications 1993
Bowden, R., *see* Mitchell, T. A.
Braglia, M., and Gabbrielli, R.: Technical note: Dimensional analysis for investment selection in industrial robots 4843
Braiden, P. M., *see* Hicks, C.
Breithaupt, J.-W.: Controlling production dynamics—managing uncertainties with automatic production control 4235
Brinke, E. T., Lutters, D., Streppel, A. H., and Kals, H. J. J.: Variant-based cost estimation based on Information Management 4467
Broman, M., *see* Wiktorsson, M.
Brooks, R. J., and Tobias, A. M.: Simplification in the simulation of manufacturing systems. 1009
Brunn, P., *see* Shafaei, R.
Bullinger, H.-J., Lentes, H.-P., and Scholtz, O. H.: Invited paper: Challenges and chances for innovative companies in a global information society 1469
Burke, R. J., *see* Haberle, K. R.
Burns, J. R., *see* Ottaway, T. A.

Caini, L., *see* Alberti, M.
Cakir, M. C., and Gürarda, A.: Optimization of machining conditions for multi-tool milling operations 3537
Calabrese, A., *see* Alberti, M.
Calantone, R., *see* Curkovic, S.
Cantamessa, M., and Villa, A.: Product and process design effort allocation in concurrent engineering 3131

Cariapa,V., *see* Payne, J.
Carlyle, M., *see* Fowler, J.
Carnahan, B., Warner, R. C., Bidanda, B., and LaScola Needy, K.: Predicting glass furnace output using statistical and neural computing methods 1255
Caron, F., Marchet, G., and Perego, A.: Optimal layout in low-level picker-to-part systems. 101
Case, K., and Wan Harun, W. A.: Feature-based representation for manufacturing planning 4285
Case, K., *see* Abdul Rani, M. R.
Cavalier, T. M., and Lehtihet, E. A.: A comparative evaluation of sequential set point adjustment procedures for tolerance control 1769
Chan, D. S. K., and Lewis, W. P.: The integration of manufacturing and cost information into the engineering design process 4413
Chan, L. Y., Xie, M., and Goh, T. N.: Cumulative quantity control charts for monitoring production processes 397
Chang, C. R., *see* Trappey, A. J. C.
Chang, Y., *see* Wu, B.
Chattopadhyay, A. B., *see* Dutta, R. K.
Chauvet, F., Proth, J.-M., and Soumare, A.: The simple and multiple job assignment problems 3165
Chen, A., and Elsayed, E. A.: An alternative mean estimator for processes monitored by SPC charts 3093
Chen, C.-Y., *see* Yau, H.-T.
Chen, I-H., *see* Hung, Y.-F.
Chen, J.-P.: Re-evaluating the process capability indices for non-normal distributions 1311
Chen, M.-C.: Roundness inspection strategies for machine visions using non-linear programs and genetic algorithms 2967
Chen, S.-P., *see* Kao, C.
Chen, Y. H., Wang, Y. Z., and Leung, T. M.: An investigation of parting direction based on dexel model and fuzzy decision making 1357
Chen, Y.-D., *see* Tseng, Y.-J.
Chen, Y.-L., *see* Wang, T.-Y.
Cheng, C. H., *see* Balakrishnan, J.
Cheng, K., Pan, P. Y., and Harrison, D. K.: The Internet as a tool with application to agile manufacturing: a web-based engineering approach and its implementation issues 2743
Cherian, R. P., Midha, P. S., and Pipe, A. G.: Modelling the relationship between process parameters and mechanical properties using Bayesian neural networks for powder metal parts 2201
Chew, L. C., *see* Ong, S. K.
Chiang, W.-C., *see* Urban, T. L.
Chiou, R. J., *see* Du, T. C.
Cho, B.-R., Kim, Y. J., Kimbler, D. L., and Phillips, M. D.: An integrated joint optimization procedure for robust and tolerance design 2309
Cho, H., *see* Lee, S.
Cho, J. H., Kim, J. W., and Kim, K.: CNC tool path planning for multi-patch sculptured surfaces. 1677
Choi, K.-H., Kim, S.-C., and Yook, S.-H.: Multi-agent hybrid shop floor control system 4193
Choi, S., and Noble, J. S.: An integrated material flow system approach for determining the economic production quantity (EPQ) 3485
Choi, S., and Noble, J. S.: Determination of economic order quantities (EOQ) in an integrated material flow system. 3203
Choudhuri, S., *see* Xie, W.
Choueiki, M. H., *see* Savsar, M.
Christmansson, M., Falck, A.-C., Amprazis, J., Forsman, M., Rasmusson, L., and Kadefors, R.: Modified method time measurements for ergonomic planning of production systems in the manufacturing industry 4051

Chryssolouris, G., Papakostas, N., and Mourtzis, D.: A decision-making approach for nesting scheduling: a textile case 4555
Clark, A. R., and Clark, S. J.: Rolling-horizon lot-sizing when set-up times are sequence-dependent 2287
Clark, S. J., *see* Clark, A. R.
Co, H. C., *see* Sharafali, M.
Cochran, D. S., Eversheim, W., Kubin, G., and Sesterhenn, M. L.: The application of axiomatic design and lean management principles in the scope of production system segmentation 1377
Coman, A., and Ronen, B.: Production outsourcing: a linear programming model for the Theory-Of-Constraints 1631
Conway, D. G., *see* Balakrishnan, J.
Costa, A. F. B., *see* Rahim, M. A.
Costa, A. F. B.: X charts with supplementary samples to control the mean and variance 3801
Culley, S. J., *see* McIntosh, R. I.
Curkovic, S., Melnyk, S., Calantone, R., and Handfield, R.: Validating the Malcolm Baldridge National Award Framework through structural equation modelling 765
Cvijanovic, J. M., *see* Klarin, M. M.

Dallery, Y., *see* Bonvik, A. M.
Dallery, Y., *see* Matta, A.
Dangton, R., *see* Yenradee, P.
Das, A., *see* Narasimhan, R.
Das, S. K., Datla, V., and Gami, S.: DFQM—an approach for improving the quality of assembled products. 457
Das, S. K., Yedlarajiah, P., and Narendra, R.: An approach for estimating the end-of-life product disassembly effort and cost 657
Datla, V., *see* Das, S. K.
De Meter, E. C., *see* Xie, W.
De Vin, L. J., De Vries, J., and Streppel, A. H.: Process planning for small batch manufacturing of sheet metal parts 4273
De Vries, J., *see* De Vin, L. J.
de Vries, J., *see* van der Zwaan, A.H.
Debargis, L., *see* Lapierre, S. D.
Dekkers, R.: Decision models for outsourcing and core competencies in manufacturing 4085
Dellaert, N., and Jeunet, J.: Solving large unconstrained multilevel lot-sizing problems using a hybrid genetic algorithm 1083
Detty, R. B., and Yingling, J. C.: Quantifying benefits of conversion to lean manufacturing with discrete event simulation: a case study 429
Dewan, P., and Joshi, S.: Dynamic single-machine scheduling under distributed decision-making. 3759
Dewan, P., *see* Lehtihet, E. A.
Dewhurst, F. W., *see* Martinez-Lorente, A. R.
Dickens, P., *see* Hopkinson, N.
Dilworth, J., *see* Howard, A.
Ding, H., *see* Yin, Z.-P.
Ding, X. M., Fuh, J. Y. H., Lee, K. S., Zhang, Y. F., and Nee, A. Y. C.: A computer-aided EDM electode design system for mold manufacturing 3079
Dini, G., *see* Rossi, A.
Djordjevich, A., Tso, S. K., and Zhang, J.: Extended range tactility in material handling 4357
Doniavi, A., Mileham, A. R., and Newnes, L. B.: A systems approach to photolithography process optimization in an electronics manufacturing environment . . 2515
Drury, C. G.: Global quality: linking ergonomics and production 4007
Du, R., *see* Ji, S.
Du, T. C., and Chiou, R. J.: Applying version management of object-oriented database technology in reactive scheduling 1183

Du, T. C.-T., and Wolfe, P. M.: Building an active material requirements planning system 241
Dumoulin, A., and Vercellis, C.: Tactical models for hierarchical capacitated lot-sizing problems with set-ups and changeovers 51
Dutta, R. K., Paul, S., and Chattopadhyay, A. B.: Fuzzy controlled backpropagation neural network for tool condition monitoring in face milling 2989
Dutta, S. P., *see* Nandula, M.
Dyckhoff, H.: Invited paper—The natural environment: towards an essential factor of the future 2583

Egbelu, P. J., *see* Bartolomei-Suárez, S. M.
Egbelu, P. J., *see* Hu, C.-H.
Elmaraghy, H. A., *see* Vafaeesefat, A.
El-Masry, M., *see* Abdou, G.
Elsayed, E. A., *see* Chen, A.
Elsayed, E. A.: Invited paper: Perspectives and challenges for research in quality and reliability engineering 1953
El-Wahab, A. I., and Kishawy, H. A.: A new method to improve the surface quality during CNC machining 3711
Erenguc, S. S., *see* Schaller, J. E.
Eversheim, W., *see* Cochran, D. S.

Falck, A.-C., *see* Christmansson, M.
Fan, S.-K. S.: Quality improvement of chemical–mechanical wafer planarization process in semiconductor manufacturing using a combined generalized linear modelling–non-linear programming approach 3011
Feng, C.-X. (Jack), Kroll, D. E., and Li, P.-G.: Fuzzy mapping of functions onto features in detail design 2253
Finch, B. J., and Luebbe, R. L.: Response to 'Theory of constraints and linear programming: a re-examination' 1465
Foerster, H., and Wäscher, G.: Pattern reduction in one-dimensional cutting stock problems 1657
Föhrenbach, A., *see* Grunow, M.
Forsman, M., *see* Christmansson, M.
Foster, G. A., Barson, R. J., and O'Brien, C.: Constructing a natural language for describing work tasks 4041
Foster, P., *see* Bal, J.
Fowler, J., Knutson, K., and Carlyle, M.: Comparison and evaluation of lot-to-order matching policies for a semiconductor assembly and test facility 1841
Framinan, J. M., Ruiz-Usano, R., and Leisten, R.: Input control and dispatching rules in a dynamic CONWIP flow-shop. 4589
Frazier, G. V., *see* McMullen, P. R.
Friedland, R., *see* Mertins, K.
Fu, L.-C., *see* Lin, M.-H.
Fuh, J. Y. H., *see* Ding, X. M.
Fujii, S., Kaihara, T., and Morita, H.: A distributed virtual factory in agile manufacturing enviroment 4113
Fung, R. Y. K., *see* Jiang, Z.

Gaalman, G. J. C., *see* Suresh, N. C.
Gabbrielli, R., *see* Braglia, M.
Gademann, A. J. R. M. (Noud), *see* van den Berg, J. P.
Gadidov, R., and Wilhelm, W.: A cutting plane approach for the single-product assembly system design problem 1731
Gagné, C., *see* Gravel, M.
Gallego-Rodriguez, A., *see* Martinez-Lorente, A. R.
Gami, S., *see* Das, S. K.
Gautreau, N., *see* Yacout, S.

Gershwin, S. B., *see* Bonvik, A. M.
Gilboa, I., Herer, Y. T., Kaspi, H., and Raz, T.: Optimal design of the inspection buffer for an unreliable process 187
Gindy, N. N. Z., *see* Baykasoglu, A.
Goh, T. N., *see* Chan, L. Y.
Gopalakrishnan, M.: Technical note: A modified framework for modelling set-up carryover in the capacitated lotsizing problem 3421
Govil, M. K., and Magrab, E. B.: Incorporating production concerns in conceptual product design 3823
Goyal, S. K., *see* Viswanathan, S.
Gravel, M., Price, W. L., and Gagné, C.: Scheduling jobs in an Alcan aluminium foundry using a genetic algorithm 3031
Gravel, M., Price, W., and Gagné, C.: An interactive tool for designing manufacturing cells for an assembly job-shop 309
Graves, R. J., *see* Haberle, K. R.
Greene, T. J., *see* Yu, M.-C.
Grieve, B., *see* Hatna, A.
Grieve, R. J., *see* Marri, H. B.
Griffin, P., *see* Smith, N. R.
Gronalt, M., and Zeller, R.: Component allocation and job sequencing for two series-connected SMD placement machines 409
Grosfeld-Nir, A., Magazine, M., and Vanberkel, A.: Push and pull strategies for controlling multistage production systems 2361
Grubbström, R. W., and Wang, Z.: Introducing capacity limitations into multi-level, multi-stage production-inventory systems applying the input–output/Laplace transform approach 4227
Grunow, M., Günther, H. O., and Föhrenbach, A.: Simulation-based performance analysis and optimization of electronics assembly equipment 4247
Gu, P., *see* Asiedu, Y.
Guerrero, F., *see* Koltai, T.
Guide, V. D. R., Jr, and Jayaraman, V.: Product acquisition management: current industry practice and a proposed framework 3779
Guide, V. D. R., Jr, Srivastava, R., and Kraus, M. E.: Priority scheduling policies for repair shops 929
Gunasekaran, A., *see* Marri, H. B.
Günther, H. O., *see* Grunow, M.
Günther, H.-O., *see* Blömer, F.
Gürarda, A., *see* Cakir, M. C.

Haberle, K. R., Burke, R. J., and Graves, R. J.: A note on measuring parallelism in concurrent engineering 1947
Hadley, S. W., *see* Abdinnour-Helm, S.
Hammond, J., *see* John, E. G.
Handfield, R., *see* Curkovic, S.
Harraf, A., *see* Bazargan-Lari, M.
Harrison, D. K., *see* Cheng, K.
Harrison, R., *see* West, A. A.
Hatna, A., and Grieve, B.: Cartesian machining versus parametric machining: a comparative study 3043
He, D. W., Strege, B., Tolle, H., and Kusiak, A.: Decomposition in automatic generation of Petri nets for manufacturing system control and scheduling . . 1437
Head, M., *see* Bonney, M.
Helo, P. T.: Dynamic modelling of surge effect and capacity limitation in supply chains 4521
Hemamalini, B., and Rajendran, C.: Determination of the number of containers, production kanbans and withdrawal kanbans; and scheduling in kanban flow-shops—Part 1 2529

Hemamalini, B., and Rajendran, C.: Determination of the number of containers, production kanbans and withdrawal kanbans; and scheduling in kanban flowshops—Part 2 2549
Herbon, A., *see* Arzi, Y.
Herer, Y. T., *see* Gilboa, I.
Herrmann, J. W., Balasubramanian, S., and Singh, G.: Defining specialized design similarity measures 3603
Herrmann, J. W., *see* Vieira, G. E.
Hess, K., *see* Kolisch, R.
Hewit, J. R., *see* Tap, M.
Hicks, C., and Braiden, P. M.: Computer-aided production management issues in the engineer-to-order production of complex capital goods explored using a simulation approach 4783
Hill, J. A., Berry, W. L., Leong, G. K., and Schilling, D. A.: Master production scheduling in capacitated sequence-dependent process industries 4743
Hitomi, K., *see* Yura, K.
Ho, Y.-C., and Moodie, C. L.: A hybrid approach for concurrent layout design of cells and their flow paths in a tree configuration 895
Hong, S.-K., and Schniederjans, M. J.: Balancing concurrent engineering environmental factors for improved product development performance 1779
Hopkinson, N., and Dickens, P.: Predicting stereolithography injection mould tool behaviour using models to predict ejection force and tool strength 3747
Howard, A., Kochhar, A., and Dilworth, J.: Case studies based development of a rule-base for the specification of manufacturing planning and control systems . . 2591
Hu, C.-H., and Egbelu, P. J.: A framework for the selection of idle vehicle home locations in an automated guided vehicle system 543
Hua, Z., and Banerjee, P.: Aggregate line capacity design for PWB assembly systems 2417
Huang, C.-Y., and Nof, S. Y.: Autonomy and viability—measures for agent-based manufacturing systems 4129
Huang, C.-Y., and Nof, S. Y.: Formation of autonomous agent networks for manufacturing systems 607
Huang, H., *see* Irani, S. A.
Huang, J. T., and Liao, Y. S.: A wire-EDM maintenance and fault-diagnosis expert system integrated with an artificial neural network 1071
Huang, P., *see* Silva, J. P.
Huang, S. H., *see* Kuo, T. C.
Hui, Y. V., *see* Leung, L. C.
Hung, Y.-F., and Chen, I-H.: Dynamic operator assignment based on shifting machine loading 3403

Iaroslavitz, L., *see* Arzi, Y.
Irani, S. A., Zhang, H., Zhou, J., Huang, H., Udai, T. K., and Subramanian, S.: Production Flow Analysis and Simplification Toolkit (PFAST) 1855
Ishikura, H., *see* Yura, K.
Islam, K. Md. S., and Sarker, B. R.: A similarity coefficient measure and machine-parts grouping in cellular manufacturing systems 699
Islier, A. A.: Response to Al-Hakim's note 991
Ismail, F., *see* Rao, N.

Jang, W., Wang, E. H., and Akella, R.: Economic in-line inspection sampling strategy with learning effects 4811
Jayamohan, M. S., and Rajendran, C.: New dispatching rules for shop scheduling: a step forward 563
Jayaraman, V., *see* Guide, V. D. R., Jr
Jeunet, J., *see* Dellaert, N.
Ji, S., Li, X., and Du, R.: Tolerance synthesis using second-order fuzzy comprehensive evaluation and genetic algorithm 3471
Jiahua, W., *see* Okubo, H.

Jiang, Z., Zuo, M. J., Fung, R. Y. K., and Tu, P. Y.: Temporized coloured Petri nets with changeable structure (CPN–CS) for performance modelling of dynamic production systems 1917
John, E. G., and Hammond, J.: Maximally weighted graph theoretic facilities design planning 3845
Johnson, D. J., *see* Wemmerlöv, U.
Joshi, S. B., *see* Qiu, R. G.
Joshi, S., *see* Dewan, P.
Josien, K., and Liao, T. W.: Integrated use of fuzzy *c*-means and fuzzy KNN for GT part family and machine cell formation 3513
Jung, B. L., *see* Kim, D. S.
Jung, M., *see* Lee, S.

Kadefors, R., *see* Christmansson, M.
Kaebernick, H., *see* Bazargan-Lari, M.
Kaihara, T., *see* Fujii, S.
Kals, H. J. J., *see* ten Brinke, E.
Kals, H., *see* Lutters, E.
Kals, H., *see* Streppel, A. H.
Kanbara, K., *see* Matsui, M.
Kaneda, K., *see* Matsui, M.
Kao, C., Li, C.-C., and Chen, S.-P.: Tolerance allocation via simulation embedded sequential quadratic programming 4345
Karaesmen, F., *see* Matta, A.
Kaspi, H., *see* Gilboa, I.
Kay, J. M., *see* Wu, B.
Kher, H. V., Malhotra, M. K., and Steele, D. C.: The effect of push and pull lot splitting approaches on lot traceability and material handling costs in stochastic flow shop environments 141
Khoo, M. K., *see* Lye, S. W.
Kiefer, F.: Heterogeneous modelling tools for integrated production systems . . . 4149
Kim, D. S., and Jung, B. L.: The equivalence of duplicate automated serial workstations and two-workstation tandem systems and its use in serial production line analysis 1525
Kim, J. W., *see* Cho, J. H.
Kim, J.-G., and Kim, Y.-D.: Layout planning for facilities with fixed shapes and input and output points 4635
Kim, K., *see* Cho, J. H.
Kim, S.-C., *see* Choi, K.-H.
Kim, Y. J., *see* Cho, B.-R.
Kim, Y.-D., *see* Kim, J.-G.
Kimbler, D. L., *see* Cho, B.-R.
Kishawy, H. A., *see* El-Wahab, A. I.
Klarin, M. M., Cvijanovic, J. M., and Spasojevic Brkic, V. K.: The shift level of the utilization of capacity as the stochastic variable in work sampling 2643
Klein, R.: Project scheduling with time-varying resource constraints 3937
Knutson, K., *see* Fowler, J.
Kochhar, A., *see* Howard, A.
Kolisch, R., and Hess, K.: Efficient models for scheduling make-to-order assemblies under resource, assembly area and part availability constraints 207
Koltai, T., Lozano, S., Guerrero, F., and Onieva, L.: A flexible costing system for flexible manufacturing systems using activity based costing 1615
Krajewski, L., *see* Wei, J.
Kraus, M. E., *see* Guide, V. D. R., Jr
Kroll, D. E., *see* Feng, C.-X. (Jack)
Kubin, G., *see* Cochran, D. S.
Kumar, N., and Shanker, K., A genetic algorithm for FMS part type selection and machine loading. 3861

Kuo, T. C., Zhang, H. C., and Huang, S. H.: Disassembly analysis for electromechanical products: a graph-based heuristic approach 993
Kusiak, A., *see* He, D. W.
Kwong, C. K., *see* Mok, S. L.

Laeng, J., Stewart, J. G., and Liou, F. W.: Laser metal forming processes for rapid prototyping—a review 3973
Lai, K. K., *see* Zhang, G. Q.
Lam, S. M., and Wong, T. N.: Recognition of matching features—a hybrid approach 4301
Laperrière, L., *see* Zhao, Z.
Lapierre, S. D., Debargis, L., and Soumis, F.: Balancing printed circuit board assembly line systems 3899
Lara, M. A., Witzerman, J. P., and Nof, S. Y.: Facility description language for integrating distributed designs 2471
LaScola Needy, K., *see* Carnahan, B.
Lau, R. S. M.: A synergistic analysis of joint JIT-TQM implementation 2037
Lau, W. S., *see* Mok, S. L.
Lawley, M.: Integrating flexible routing and algebraic deadlock avoidance policies in automated manufacturing systems 2931
Lee, C. W., and Shin, Y. C.: Evolutionary modelling and optimization of grinding processes 2787
Lee, E., *see* Yang, M.
Lee, K. S., *see* Ding, X. M.
Lee, S. G., *see* Lye, S. W.
Lee, S., Cho, H., and Jung, M.: A conceptual framework for the generation of simulation models from process plans and resource configuration 811
Lee-Post, A.: Part family identification using a simple genetic algorithm 793
Lehtihet, E. A., Ranade, S., and Dewan, P.: Comparative evaluation of tolerance control chart models 1539
Lehtihet, E. A., *see* Cavalier, T. M.
Leisten, R., *see* Framinan, J. M.
Lentes, H.-P., *see* Bullinger, H.-J.
Leong, G. K., *see* Hill, J. A.
Leung, C. B., *see* Wong, T. N.
Leung, L. C., and Hui, Y. V.: Dynamic management of cutting tools for flexible and quality machining 3385
Leung, T. M., *see* Chen, Y. H.
Lewis, H. J., *see* Maughan, F. G.
Lewis, W. P., *see* Chan, D. S. K.
Li, C.-C., *see* Kao, C.
Li, J.-W., and Barnes, D. J.: Investigating the factors influencing the shop performance in a job shop environment with kanban-based production control 4683
Li, P.-G., *see* Feng, C.-X. (Jack)
Li, Q., *see* Zhang, W. J.
Li, W., Bai, G., Zhang, C., and Wang, B.: Optimization of machining datum selection and machining tolerance allocation with genetic algorithms 1407
Li, X., *see* Ji, S.
Liao, T. W., *see* Josien, K.
Liao, Y. S., *see* Huang, J. T.
Lim, B. H., *see* Ngoi, B. K. A.
Lim, S. Y. E., *see* Zha, X. F.
Lin, E., *see* Vieira, G. E.
Lin, M.-H., and Fu, L.-C.: Modelling, control and simulation of an IC wafer fabrication system: a generalized stochastic coloured timed Petri Net approach 3305
Lin, W. S., and Wang, K. S.: Modelling and optimization of turning processes for slender parts 587
Liou, F. W., *see* Laeng, J.
Liou, L.-C., *see* Tseng, Y.-J.

Lisboa, J., *see* Silva, J. P.
Liu, J., *see* Yan, X.
Lockwood, W. T., Mahmoodi, F., Ruben, R. A., and Mosier, C. T.: Scheduling unbalanced cellular manufacturing systems with lot splitting 951
Looks, V., *see* Wu, B.
Lozano, S., *see* Koltai, T.
Luebbe, R. L., *see* Finch, B. J.
Luo, Z., *see* Zhao, X.
Lutters, D., *see* ten Brinke, E.
Lutters, D., ten Brinke, E., Streppel, A. H., and Kals, H.: Information management and design engineering processes 4429
Lutters, D., *see* Streppel, A. H.
Lye, S. W., Lee, S. G., and Khoo, M. K.: An algorithm for optimising the servicing of products with constrained, multiple defects 2185

Ma, G. H., Zhang, Y. F., and Nee, A. Y. C.: A simulated annealing-based optimization algorithm for process planning 2671
Magazine, M., *see* Grosfeld-Nir, A.
Magrab, E. B., *see* Govil, M. K.
Mahmoodi, F., *see* Lockwood, W. T.
Mahmoodi, F., *see* Ruben, R. A.
Mak, K. L., *see* Ming, X. G.
Makhanov, S. S., *see* Bohez, E.
Malhotra, M. K., *see* Kher, H. V.
Malmborg, C. J.: Interleaving models for the analysis of twin shuttle automated storage and retrieval systems 4599
Mansouri, S. A., Moattar Husseini, S. M., and Newman, S. T.: A review of the modern approaches to multi-criteria cell design 1201
Marchet, G., *see* Caron, F.
Marri, H. B., Gunasekaran, A., and Grieve, R. J.: Performance measurements in the implementation of CIM in small and medium enterprises: an empirical analysis 4403
Martinez-Lorente, A. R., Dewhurst, F. W., and Gallego-Rodriguez, A.: Relating TQM, marketing and business performance: an exploratory study 3227
Mason-Jones, R., Naylor, B., and Towill, D. R.: Lean, agile or leagile? Matching your supply chain to the marketplace 4061
Matsui, M., Kaneda, K., Kanbara, K.: Optimal control of a job-shop production system: periodic versus dynamic type. 2951
Matta, A., Tolio, T., Karersmen, F., and Dallery, Y.: A new system architecture compared with conventional production system 4159
Maughan, F. G., and Lewis, H. J.: AGV controlled FMS. 4445
McIntosh, R. I., Culley, S. J., Mileham, A. R., and Owen, G. W.: A critical evaluation of Shingo's 'SMED' (Single Minute Exchange of Die) methodology 2377
McMullen, P. R., Tarasewich, P., and Frazier, G. V.: Using genetic algorithms to solve the multi-product JIT sequencing problem with set-ups 2653
Meeran, S., *see* Tap, M.
Melnyk, S., *see* Curkovic, S.
Mertins, K., Friedland, R., and Rabe, M.: Capacity assignment of virtual manufacturing cells by applying lot size harmonization 4385
Midha, P. S., *see* Cherian, R. P.
Mileham, A. R., *see* Doniavi, A.
Mileham, A. R., *see* McIntosh, R. I.
Miltenburg, J.: The effect of breakdowns on U-shaped production lines 353
Ming, X. G., and Mak, K. L.: A hybrid Hopfield network–genetic algorithm approach to optimal process plan selection 1823
Minis, I., *see* Agrawal, A.
Mitchell, T. A., Bowden, R., and Sarhadi, M.: Efficient texture analysis for industrial inspection 967
Moattar Husseini, S. M., *see* Mansouri, S. A.

Modarress, B., Ansari, A., and Willis, G.: Controlled production planning for Just-In-Time short-run suppliers 1163
Mok, S. L., Kwong, C. K., and Lau, W. S.: An intelligent hybrid system for initial process parameter setting of injection moulding 4565
Monden, Y., *see* Zeramdini, W.
Montgomery, D. C., *see* Zimmer, L. S.
Moodie, C. L., *see* Ho, Y.-C.
Moodie, C. L., *see* Shewchuk, J. P.
Morabito, R., and Arenales, M.: Optimizing the cutting of stock plates in a furniture company 2725
Morita, H., *see* Fujii, S.
Mosier, C. T., *see* Lockwood, W. T.
Moualek, I., *see* Bonney, M.
Mourtzis, D., *see* Chryssolouris, G.
Mukhopadhyay, S. K., Babu, K. R., and Sai, K. V. V.: Modified Hamiltonian chain: a graph theoretic approach to group technology 2459

Nagi, R., *see* Agrawal, A.
Nam, I. H.: Improving linear processing systems via flexibility 341
Nandula, M., and Dutta, S. P.: Performance evaluation of an auction-based manufacturing system using coloured Petri nets 2155
Narasimhan, R., and Das, A.: An empirical examination of sourcing's role in developing manufacturing flexibilities 875
Narendra, R., *see* Das, S. K.
Naylor, B., *see* Mason-Jones, R.
Nee, A. Y. C., *see* Ding, X. M.
Nee, A. Y. C., *see* Ma, G. H.
Newman, S. T., *see* Mansouri, S. A.
Newnes, L. B., *see* Doniavi, A.
Ngoi, B. K. A., Lim, B. H., and Ang, P. S.: Nexus method for stack analysis of geometric dimensioning and tolerancing (GDT) problems. 21
Noble, J. S., *see* Choi, S.
Nof, S. Y., *see* Huang, C.-Y.
Nof, S. Y., *see* Lara, M. A.

O'Brien, C., *see* Foster, G. A.
Okubo, H., Jiahua, W., and Onari, H.: Characteristics of distributed autonomous production control 4205
Onari, H., *see* Okubo, H.
Ong, S. K., and Chew, L. C.: Evaluating the manufacturability of machined parts and their setup plans 2397
Onieva, L., *see* Koltai, T.
Ottaway, T. A., and Burns, J. R.: An adaptive production control system utilizing agent technology 721
Owen, G. W., *see* McIntosh, R. I.
Özdamar, L.: The cutting–wrapping problem in the textile industry: optimal overlap of fabric lengths and defects for maximizing return based on quality 1287

Pan, P. Y., *see* Cheng, K.
Pande, S. S., *see* Suneel, T. S.
Papadopoulos, C., *see* Spinellis, D.
Papakostas, N., *see* Chryssolouris, G.
Park, S. C., *see* Shin, C. K.
Paul, S., *see* Dutta, R. K.
Payne, J., and Cariapa, V.: A fixture repeatablity and reproducibility measure to predict the quality of machined parts 4763
Perego, A., *see* Caron, F.

Persentili, E., and Alptekin, S. E.: Product flexibility in selecting manufacturing planning and control strategy 2011
Peters, B. A., *see* Rajasekharan, M.
Philipoom, P. R.: The choice of dispatching rules in a shop using internally set due-dates with quoted leadtime and tardiness costs 1641
Phillips, M. D., *see* Cho, B.-R.
Pipe, A. G., *see* Cherian, R. P.
Plante, R.: Allocation of variance reduction targets under the influence of supplier interaction 2815
Popova E., and Wilson, J. G.: Adaptive time dynamic model for production volume prediction 3111
Portioli Staudacher, A.: ISTS: a new procedure for the integrated scheduling of multi-stage systems 2489
Price, W. L., *see* Gravel, M.
Price, W., *see* Gravel, M.
Proth, J.-M., *see* Chauvet, F.

Qiao, L., Wang, X.-Y., and Wang, S.-C.: A GA-based approach to machining operation sequencing for prismatic parts 3283
Qiu, R. G., and Joshi, S. B.: Structured adaptive supervisory control model and software development for a flexible manufacturing system 39

Rabe, M., *see* Mertins, K.
Radhakrishnan, S., and Ventura, J. A.: Simulated annealing for parallel machine scheduling with earliness–tardiness penalties and sequence-dependent set-up times 2233
Rahim, M. A., and Costa, A. F. B.: Joint economic design of $\bar{x}$ and R charts under Weibull shock models 2871
Rahimifard, S., *see* West, A. A.
Rajasekharan, M., and Peters, B. A.: Strategic configuration of flexible electronics assembly facilities facing stochastic requirements 639
Rajendran, C., *see* Hemamalini, B.
Rajendran, C., *see* Jayamohan, M. S.
Rajendran, C., *see* Reeja, M. K.
Ranade, S., *see* Lehtihet, E. A.
Rao, N., Ismail, F., and Bedi, S.: Integrated tool positioning and tool path planning for five-axis machining of sculptured surfaces 2709
Rasmusson, L., *see* Christmansson, M.
Ratchev, S. M., Shiau, J., and Valtchanov, G.: Distributed product and facility prototyping in extended manufacturing enterprises 4495
Ratchev, S., *see* Bonney, M.
Raz, T., *see* Gilboa, I.
Reeja, M. K., and Rajendran, C.: Dispatching rules for scheduling in assembly jobsops – Part 1 2051
Reeja, M. K., and Rajendran, C.: Dispatching rules for scheduling in assembly jobshops – Part 2 2349
Resare, L. J., *see* Abdel-Malek, L.
Ronen, B., *see* Coman, A.
Rossi, A., and Dini, G.: Dynamic scheduling of FMS using a real-time genetic algorithm 1
Rossi, D., *see* Alberti, M.
Ruben, R. A., and Mahmoodi, F.: Lead time prediction in unbalanced production systems 1711
Ruben, R. A., *see* Lockwood, W. T.
Ruiz-Usano, R., *see* Framinan, J. M.
Runger, G. C., *see* Zimmer, L. S.
Russell, R. A., *see* Urban, T. L.

Sai, K. V. V., *see* Mukhopadhyay, S. K.
Salum, L.: A new class of a high-level Petri net for modelling logical OR efficiently: coloured AND/OR Petri nets (CARPN) 4671
Salum, L.: The cellular manufacturing layout problem 1053
Sarhadi, M., *see* Mitchell, T. A.
Sarker, B. R., *see* Islam, K. Md. S.
Savsar, M., and Choueiki, M. H.: A neural network procedure for kanban allocation in JIT production control systems. 3247
Sawik, T.: Simultaneous versus sequential loading and scheduling of flexible assembly systems. 3267
Schaller, J. E., Erenguc, S. S., and Vakharia, A. J.: A mathematical approach for integrating the cell design and production planning decisions 3953
Schaller, J.: A comparison of heuristics for family and job scheduling in a flow-line manufacturing cell 287
Schilling, D. A., *see* Hill, J. A.
Schmidt, G., and Wilhelm, W. E.: Strategic, tactical and operational decisions in multi-national logistics networks: a review and discussion of modelling issues . . . 1501
Schniederjans, M. J., *see* Hong, S.-K.
Scholtz, O. H., *see* Bullinger, H.-J.
Sesterhenn, M. L., *see* Cochran, D. S.
Shafaei, R., and Brunn, P.: Workshop scheduling using practical (inaccurate) data—Part 3: A framework to integrate job releasing, routing and scheduling functions to create a robust predictive schedule 85
Shanker, K., *see* Kumar, N.
Sharafali, M., and Co, H. C.: Some models for understanding the cooperation between the supplier and the buyer 3425
Shaw, C.-F., *see* Wang, T.-Y.
Shewchuk, J. P., and Moodie, C. L.: Flexibility and manufacturing system design: an experimental investigation 1801
Shiau, J., *see* Ratchev, S. M.
Shin, C. K., and Park, S. C.: A machine learning approach to yield management in semiconductor manufacturing 4261
Shin, Y. C., *see* Lee, C. W.
Shore, H.: General control charts for variables 1875
Silva, J. P., Lisboa, J., and Huang, P.: A labour-constrained model for aggregate production planning 2143
Sinclair, M. A., *see* Abdul Rani, M. R.
Singer, M.: Forecasting policies for scheduling a stochastic due date job shop . . . 3623
Singh, G., *see* Herrmann, J. W.
Smith, J. M., *see* Spinellis, D.
Smith, N. R., Al-Khayyal, F., and Griffin, P.: A tree-search method for solving a cutting stock assignment problem 1557
Son, Y., and Wysk, R. A.: A formal structure and implementation of a robotic material handling controller in an automated shop floor environment . . . 3553
Sonthipermpoon, K., *see* Bohez, E.
Soumare, A., *see* Chauvet, F.
Soumis, F., *see* Lapierre, S. D.
Spasojevic Brkic, V. K., *see* Klarin, M. M.
Spencer, M. S.: Theory of constraints in a service application: the Swine Graphics case 1101
Spinellis, D., Papadopoulos, C., and Smith, J. M.: Large production line optimization using simulated annealing 509
Srihari, K., *see* Tonapi, S. S.
Srivastava, R., *see* Guide, V. D. R., Jr
Steele, D. C., *see* Kher, H. V.
Stewart, J. G., *see* Laeng, J.
Stockton, D. J., *see* Wang, Q.
Strege, B., *see* He, D. W.
Streppel, A. H., *see* ten Brinke, E.

Streppel, A. H., *see* De Vin, L. J.
Streppel, A. H., Lutters, D., ten Brinke, E., and Kals, H.: Process planning for sheet metal parts based on information management 4701
Streppel, T., *see* Lutters, E.
Subramanian, S., *see* Irani, S. A.
Sun, T.-L.: Shape similarity assessment of polyhedral parts based on boundary models 4655
Suneel, T. S., and Pande, S. S.: Intelligent tool path correction for improving profile accuracy in CNC turning 3181
Suresh, N. C., and Gaalman, G. J. C.: Performance evaluation of cellular layouts: extension to DRC system contexts 4393

Tanchoco, J. M. A., *see* Ting, J.-H.
Tang, O.: Modelling stochastic lead times in a production-inventory system based on the Laplace transform method 4217
Tap, M., Hewit, J. R., and Meeran, S.: An active tool-tracking system for increased productivity 3889
Tapiero, C. S.: Ex-post inventory control 1397
Tarasewich, P., *see* McMullen, P. R.
Teltumbde, A.: A framework for evaluating ERP projects 4507
ten Brinke, E. *see* Lutters, D.
ten Brinke, E. *see* Streppel, A. H.
Ting, J.-H., and Tanchoco, J. M. A.: Unidirectional circular layout for overhead material handling systems 3913
Tiwari, M. K., and Vidyarthi, N. K.: Solving machine loading problems in a flexible manufacturing system using a genetic algorithm based heuristic approach . . 3357
Tobias, A. M., *see* Brooks, R. J.
Tolio, T. *see* Matta, A.
Tolle, H., *see* He, D. W.
Tonapi, S. S., and Srihari, K.: Implementation of the pin-in-paste process in a contract manufacturing environment 4535
Towill, D. R., *see* Mason-Jones, R.
Trappey, A. J. C., and Chang, C. R.: ISO10303-compliant computer-aided wheel-rim design system—the framework and data model 1325
Trethewey, M. W., *see* Xie, W.
Tseng, Y.-J., and Chen, Y.-D.: Three dimensional biarc approximation of freeform surfaces for machining tool path generation 739
Tseng, Y.-J., and Liou, L.-C.: Integrating assembly and machining planning using graph-based representation models 2619
Tso, S. K., *see* Djordjevich, A.
Tsung, F.: Statistical monitoring and diagnosis of automatic controlled processes using dynamic PCA 625
Tu, P. Y., *see* Jiang, Z.
Turkcan, A., *see* Akturk, M. S.

Udai, T. K., *see* Irani, S. A.
Upton, D. P.: Optimization of cutting fluid performance 1219
Urban, T. L., Chiang, W.-C., and Russell, R. A.: The integrated machine allocation and layout problem 2911
Uzsoy, R., and Wang, C.-S.: Performance of decomposition procedures for job shop scheduling problems with bottleneck machines 1271

Vafaeesefat, A., and Elmaraghy, H. A.: Automated accessibility analysis and measurement clustering for CMMs 2215
Vakharia, A. J., *see* Schaller, J. E.
Vallapuzha, S., *see* Xie, W.
Valtchanov, G., *see* Ratchev, S. M.
van den Berg, J. P., and Gademann, A. J. R. M. (Noud): Simulation study of an automated storage/retrieval system 1339

van der Zwaan, A.H., and de Vries, J.: A critical assessment of the modern socio-technical approach within production and operations management 1755
Vanberkel, A., *see* Grosfeld-Nir, A.
Veatch, M. H.: Inspection strategies for multistage production systems with time-varying quality 837
Ventura, J. A., *see* Radhakrishnan, S.
Vercellis, C., *see* Dumoulin, A.
Vidyarthi, N. K., *see* Tiwari, M. K.
Vieira, G. E., Herrmann, J. W., and Lin, E.: Analytical models to predict the performance of a single-machine system under periodic and event-driven rescheduling strategies. 1899
Villa, A., *see* Cantamessa, M.
Viswanathan, S., and Goyal, S. K.: Incorporating planned backorders in a family production context with shelf-life considerations 829

Wan Harun, W. A., *see* Case, K.
Wang, B., *see* Li, W.
Wang, C.-S., *see* Uzsoy, R.
Wang, E. H., *see* Jang, W.
Wang, J., *see* Azadivar, F.
Wang, J., *see* Zhao, X.
Wang, K. S., *see* Lin, W. S.
Wang, Q., Stockton, D. J., and Baguley, P.: Process cost modelling using neural networks 3811
Wang, S.-C., *see* Qiao, L.
Wang, T.-Y., Shaw, C.-F., and Chen, Y.-L.: Machine selection in flexible manufacturing cell: a fuzzy multiple attribute decision-making approach 2079
Wang, W.: A model to determine the optimal critical level and the monitoring intervals in condition-based maintenance 1425
Wang, X.-Y., *see* Qiao, L.
Wang, Y. Z., *see* Chen, Y. H.
Wang, Z., *see* Grubbström, R. W.
Warner, R. C., *see* Carnahan, B.
Wäscher, G., *see* Foerster, H.
Webster, S., *see* Azizoglu, M.
Wei, J., and Krajewski, L.: A model for comparing supply chain schedule integration approaches 2099
Wemmerlöv, U., and Johnson, D. J.: Empirical findings on manufacturing cell design 481
West, A. A., Rahimifard, S., Harrison, R., and Williams, D. J.: The development of a visual interactive simulation of packaging flow lines 4717
Wiktorsson, M., Andersson, T., and Broman, M.: A note on the specification of assembly systems 3997
Wilhelm, R. G., *see* Yau, H.-T.
Wilhelm, W. E., *see* Schmidt, G.
Wilhelm, W., *see* Gadidov, R.
Williams, D. J., *see* West, A. A.
Willis, G., *see* Modarress, B.
Wilson, J. G., *see* Popova E.
Witzerman, J. P., *see* Lara, M. A.
Wolfe, P. M., *see* Du, T. C.-T.
Won, Y.: New *p*-median approach to cell formation with alternative process plans 229
Won, Y.: Two-phase approach to GT cell formation using efficient *p*-median formulations 1601
Wong, T. N., and Leung, C. B.: An object-oriented neutral feature model for feature conversion 3573
Wong, T. N., *see* Lam, S. M.
Wu, B., and Chang, Y.: A framework for strategically-driven evaluation of enterprise information systems 4071

Wu, B., Kay, J. M., Looks, V., and Bennett, M.: The design of business processes within manufacturing systems management 4097
Wu, Z., *see* Zhao, C.
Wysk, R. A., *see* Son, Y.

Xie, M., *see* Chan, L. Y.
Xie, W., Choudhuri, S., Vallapuzha, S., De Meter, E. C., and Trethewey, M. W.: Experimental assessment of a clamp actuation intensity analysis model . . . 4611
Xiong, Y.-L., *see* Yin, Z.-P.
Xu, Y., *see* Yadav, S.
Xu, Z., Zhao, Z., and Baines, R. W.: Constructing virtual environments for manufacturing simulation 4171
Xue, D., *see* Yadav, S.
Xue, J., *see* Zhang, G. Q.

Yacout, S., and Gautreau, N.: A partially observable simulation model for quality assurance policies 253
Yadav, S., Xu, Y., and Xue, D.: A multi-level heuristic search algorithm for production scheduling 2761
Yamazaki, K., *see* Yan, X.
Yan, X., Yamazaki, K., and Liu, J.: Extraction of milling know-how NC programs through reverse engineering 2443
Yang, M., and Lee, E.: Improved neural network model for reverse engineering . . 2067
Yarlagadda, P. K. D. V.: Prediction of die casting process parameters by using an artificial neural network model for zinc alloys. 119
Yau, H.-T., Chen, C.-Y., and Wilhelm, R. G.: Registration and integration of multiple laser scanned data for reverse engineering of complex 3D models 269
Yedlarajiah, P., *see* Das, S. K.
Yenradee, P., and Dangton, R.: Implementation sequence of engineering and management techniques for enhancing the effectiveness of production and inventory control system 2689
Yin, Z.-P., Ding, H., and Xiong, Y.-L.: Visibility theory and algorithms with application to manufacturing processes 2891
Yingling, J. C., *see* Detty, R. B.
Yook, S.-H., *see* Choi, K.-H.
Yu, M.-C., and Greene, T. J.: The effects of routing flexibility in a multi-stage pull-type system 3725
Yura, K., Ishikura, H., and Hitomi, K.: Parts-mix analysis in recycling-oriented manufacturing systems for multiple-item production 447

Zeller, R., *see* Gronalt, M.
Zeramdini, W., Aigbedo, H., and Monden, Y.: Bicriteria sequencing for just-in-time mixed-model assembly lines 3451
Zha, X. F., and Lim, S. Y. E.: Assembly/disassembly task planning and simulation using expert Petri nets. 3639
Zha, X. F., *see* Zhang, W. J.
Zhang, C., *see* Li, W.
Zhang, G. Q., Xue, J., and Lai, K. K.: A genetic algorithm based heuristic for adjacent paper-reel layout problem 3343
Zhang, H. C., *see* Kuo, T. C.
Zhang, H., *see* Irani, S. A.
Zhang, J., *see* Djordjevich, A.
Zhang, W. J., Li, Q., Bi, Z. M., and Zha, X. F.: A generic Petri net model for flexible manufacturing systems and its use for FMS control software testing 1109
Zhang, Y. F., *see* Ding, X. M.
Zhang, Y. F., *see* Ma, G. H.
Zhao, C., and Wu, Z.: A genetic algorithm for manufacturing cell formation with multiple routes and multiple objectives 385

Zhao, X., Wang, J., and Luo, Z.: A stochastic model of a reconfigurable manufacturing system – Part 1: A framework 2273
Zhao, X., Wang, J., and Luo, Z.: A stochastic model of a reconfigurable manufacturing system. Part 2: Optimal configurations 2829
Zhao, Z., and Laperrière, L.: Adaptive direct slicing of the model for rapid prototyping 69
Zhao, Z., *see* Xu, Z.
Zhou, J., *see* Irani, S. A.
Zimmer, L. S., Montgomery, D. C., and Runger, G. C.: Guidelines for the application of adaptive control charting schemes 1977
Zuo, M. J., *see* Jiang, Z.